

SUPPLEMENT TO



The Gazette of India

No. 371

NEW DELHI. SATURDAY. SEPTEMBER 20. 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd August, 1952

CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE		
C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.	
STATES PART (A) AND PART (C)										Bombay				
Ajmer										Greater Bombay	—	—	—	
TOTAL	—	—	—	—	—	—	—	Ahmedabad	—	—	—	1	—	
(Estd. mid-year pop. 706 thousands)								Kaira	—	—	—	—	—	
Total for w/e 16-8-52	—	—	—	—	—	—	—	Ruach	—	—	—	—	—	
Total for w/e 9-8-52	—	—	—	—	—	—	—	Panob Mahale	—	—	—	—	—	
7-yearly mean for the week	—	—	—	—	—	—	—	Surat	—	—	—	—	—	
Assam										Thana	—	—	—	
Cachar	—	—	—	—	3	3	—	Bombay Suburbans	—	—	—	—	—	
Khasi and Jaintia Hills	—	—	—	—	—	—	—	Ahmednagar	—	—	—	—	—	
Naga Hills	—	—	—	—	—	—	—	East Khandesh	—	—	—	—	—	
Goalpara	—	—	—	—	—	—	—	West Khandesh	—	—	—	1	1	
Kamrup	—	—	—	—	—	—	—	Amravati	—	—	—	—	—	
Darrang	—	—	—	—	—	—	—	Nasik	—	—	—	—	—	
Nowgong	—	—	—	—	2	—	—	Poona	—	—	1	—	2	
Sibsagar	—	—	—	—	4	1	—	Satara North	—	—	—	3	1	
Lakhimpur	—	—	—	—	—	—	—	Satara South	—	—	—	—	—	
Sadiya & Frontier Tracts	—	—	—	—	—	—	—	Sholapur	—	28	12	—	—	
Uaro Hills	—	—	—	—	—	—	—	Sabarakantha	—	—	—	—	—	
TOTAL	—	—	—	—	9	4	—	Belgaum	—	—	—	—	—	
(Estd. mid-year pop. 9,334 thousands)							—	Bijapur	—	—	0	1	—	
Total for w/e 16-8-52	—	—	—	10	3	—	—	Dharwar	—	—	3	1	—	
Total for w/e 9-8-52	—	4	2	4	2	—	—	Kenara	—	—	—	—	—	
7-yearly mean for the week	—	—	—	10	6	2	1	Ratnagiri	—	—	—	—	—	
Bhopal										Kolaba	—	30	9	—
TOTAL	—	—	—	—	—	—	—	Kolhapur	—	—	—	—	—	
(Estd. mid-year pop. 845 thousands)							—	Baroda	—	—	—	—	—	
Total for w/e 16-8-52	—	—	—	—	—	—	—	Navsari	—	—	—	—	—	
Total for w/e 9-8-52	—	—	—	—	—	—	—	Dangs	—	—	—	—	—	
7-yearly mean for the week	—	—	—	17	8	—	—	Malwan	—	—	—	—	—	
Bihar										Mehsana	—	—	—	
<i>Return not received.</i>								TOTAL	68	23	10	4	—	
								(Estd. mid-year pop. 36,802 thousands.)					—	
Total for w/e 16-8-52	—	—	—	—	—	—	—	Total for w/e 16-8-52	53	28	10	3	1	
Total for w/e 9-8-52	—	—	—	—	—	—	—	Total for w/e 9-8-52	55	17	8	1	—	
7-yearly mean for the week	—	—	—	17	8	—	—	7-yearly mean for the week	320	138	60	12	75	

Explanation of Symbols used:—C.—Cases; D.—Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd August, 1952—contd.

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE										
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.											
Coorg												Madras												Orissa																		
TOTAL	..	—	1	..	—	—	Visakhapatnam	—	—									
(Estd. mid-year pop. 237 thousands.)							Srikakulam	58	34	8									
Total for w/e 16-8-52	..	—	—	—	East Godavari	—	—										
Total for w/e 9-8-52	—	Krishna	18	8	17	2										
7-yearly mean for the week	—	Guntur	31	8	2	1										
Delhi												Madras												Orissa																		
No Incidence.												Madras												Orissa																		
(Estd. mid-year pop. 1,744 thousands.)							Visakhapatnam	—	—									
Total for w/e 16-8-52	1	..	—	Srikakulam	58	34	8										
Total for w/e 9-8-52	..	1	1	—	East Godavari	—	—										
7-yearly mean for the week	2	..	1	Krishna	18	8	17	2										
Himachal Pradesh												Madras												Orissa																		
Returns not received.												Madhya Pradesh												Orissa																		
Madhya Pradesh												Madras												Orissa																		
Nagpur	36	1	—	—	Tirunelveli	—	—										
Wardha	—	—	—	—	Nilgiris	—	—									
Chanda	3	3	2	1	Malabar	—	—									
Chhindwara	—	—	..	—	South Kanara	—	—									
Betul	West Godavari	—	—									
Bhandara	2	1	—	..	TOTAL	..	1,046	483	140	33									
Jabalpur	(Estd. mid-year pop. 57,000 thousands.)																																			
Sagar	17	15	—	..	Total for w/e 16-8-52	..	1,077	489	140	46								
Mandla	Total for w/e 9-8-52	..	1,240	561	132	33								
Hoshangabad	1	7-yearly mean for the week	..	616	316	316	80	34	11									
Nimar	Manipur												Orissa												Orissa											
Balaghat	No Incidence.												Orissa												Orissa											
Raipur	36	0	6	1	(Estd. mid-year pop. 588 thousands.)																																			
Bilaspur	42	34	6	..	Total for w/e 16-8-52							
Durg	32	15	7	—	Total for w/e 9-8-52							
Baster	7-yearly mean for the week	..	616	316	316	80	34	11							
Surguja	Manipur												Orissa												Orissa											
Raigarh	10	10	Total for w/e 16-8-52							
Amravati	11	1	3	1	Total for w/e 9-8-52						
Yeotmal	18	8	1	—	Total for w/e 9-8-52						
Akola	11	5	Orissa												Orissa												Orissa											
Buldana	64	21	Cuttack	15	4	17	1					
TOTAL	..	283																																								

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 23rd August, 1952—*contd.*

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	
Orissa— <i>contd.</i>																		Uttar Pradesh— <i>contd.</i>				
Ganjam Agency	.	.	13	5	—	—	—	—	Agra	.	—	—	—	49	16	—	—	—	—	—	—	—
Koraput	.	.	9	4	64	7	—	—	Mainpuri	.	—	3	3	—	—	—	—	—	—	—	—	—
Keonjhar	.	.	—	—	6	—	—	—	Etah	.	—	3	1	—	—	—	—	—	—	—	—	—
Dhenkanal	.	.	—	—	—	—	—	—	Bareilly	.	—	16	4	—	—	—	—	—	—	—	—	—
Bolangir Patna	.	.	268	188	16	2	—	—	Bijnor	.	—	—	—	—	—	—	—	—	—	—	—	—
Sundergarh	.	.	—	—	8	—	—	—	Budaun	.	—	9	3	—	—	—	—	—	—	—	—	—
Kalahandi	.	.	52	47	18	6	—	—	Moradabad	.	—	—	—	—	—	—	—	—	—	—	—	—
Angul	.	.	—	—	—	—	—	—	Shahjahanpur	.	—	—	—	—	—	—	—	—	—	—	—	—
Mayurbhanj	.	.	6	—	—	—	—	—	Pilibhit	.	—	15	11	—	—	—	—	—	—	—	—	—
TOTAL	.	.	455	390	149	19	—	—	Farrukhabad	.	—	9	6	—	—	—	—	—	—	—	—	—
(Estd. mid-year pop. 14,761 thousands).																		Uttar Pradesh— <i>contd.</i>				
Total for w/e 16-8-52	.	484	296	45	6	—	—	Etawah	.	—	—	—	—	—	—	—	—	—	—	—	—	—
Total for w/e 9-8-52	.	391	246	102	16	—	—	Kanpur	.	—	8	5	—	—	—	—	—	—	—	—	—	—
7-yearly mean for the week	.	65	36	83	16	—	—	Fatehpur	.	—	—	—	—	—	—	—	—	—	—	—	—	—
Punjab (I)																		Uttar Pradesh— <i>contd.</i>				
Hissar	.	—	—	—	—	—	—	—	Hamirpur	.	—	17	14	—	—	—	—	—	—	—	—	—
Rohtak	.	—	—	—	—	—	—	—	Banda	.	—	2	1	—	—	—	—	—	—	—	—	—
Gurgaon	.	—	16	5	—	—	—	—	Banaras	.	—	—	—	—	—	—	—	—	—	—	—	—
Karnal	.	—	3	—	—	—	—	—	Mirzapur	.	—	—	—	—	—	—	—	—	—	—	—	—
Ambala	.	—	—	—	2	—	—	—	Jaunpur	.	—	—	1	—	—	—	—	—	—	—	—	—
imla	.	—	—	—	—	—	—	—	Ghazipur	.	—	19	7	—	—	—	—	—	—	—	—	—
Kangra	.	—	—	—	—	—	—	—	Ballia	.	—	23	11	—	—	—	—	—	—	—	—	—
Hoshiarpur	.	—	—	—	1	—	—	—	Gorakhpur	.	—	8	4	—	—	—	—	—	—	—	—	—
Jullundur	.	—	—	—	1	—	—	—	Deoria	.	—	12	7	—	—	—	—	—	—	—	—	—
Ludhiana	.	—	—	—	1	1	—	—	Basti	.	—	6	5	—	—	—	—	—	—	—	—	—
Ferozepur	.	—	—	—	—	—	—	—	Azamgarh	.	—	—	—	—	—	—	—	—	—	—	—	—
Amritsar	.	—	—	—	—	—	—	—	Nainital	.	—	—	2	1	—	—	—	—	—	—	—	—
Gurdaspur	.	—	—	—	—	—	—	—	Almora	.	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	.	—	19	5	6	1	—	—	Garhwal	.	—	—	6	2	—	—	—	—	—	—	—	—
(Estd. mid-year pop. 12,645 thousands).																		Uttar Pradesh— <i>contd.</i>				
Total for w/e 16-8-52	.	10	4	5	2	—	—	—	Lucknow	.	—	2	4	—	—	—	—	—	—	—	—	—
Total for w/e 9-8-52	.	3	3	2	—	—	—	—	Unao	.	—	—	—	—	—	—	—	—	—	—	—	—
7-yearly mean for the week	.	13	8	2	1	—	—	—	Rae Bareilli	.	—	4	2	—	—	—	—	—	—	—	—	—
Tripura																		Uttar Pradesh— <i>contd.</i>				
TOTAL	.	—	—	—	—	—	—	—	Sitapur	.	—	8	4	—	—	—	—	—	—	—	—	—
Estd. mid-year pop. 668 thousands)																		Uttar Pradesh— <i>contd.</i>				
Total for w/e 16-8-52	.	—	—	—	—	—	—	—	Hardoi	.	—	28	18	—	—	—	—	—	—	—	—	—
Total for w/e 9-8-52	.	—	—	—	—	—	—	—	Kheri	.	—	23	13	—	—	—	—	—	—	—	—	—
Uttar Pradesh																		Uttar Pradesh— <i>contd.</i>				
Dehra Dun	.	—	—	—	—	—	—	—	Faizabad	.	—	3	1	—	—	—	—	—	—	—	—	—
sharanpur	.	—	4	2	—	—	—	—	Gonda	.	—	26	9	—	—	—	—	—	—	—	—	—
Muzaffarnagar	.	—	—	—	—	—	—	—	Bahraich	.	—	15	13	—	—	—	—	—	—	—	—	—
feerut	.	—	2	1	—	—	—	—	Sultanpur	.	—	—	—	—	—	—	—	—	—	—	—	—
ulandabehr	.	—	—	—	—	—	—	—	Partapgarh	.	—	—	1	—	—	—	—	—	—	—	—	—
Ligarh	.	—	11	6	—	—	—	—	Bara Banki	.	—	8	4	—	—	—	—	—	—	—	—	—
athur	.	—	—	—	—	—	—	—	Rampur	.	—	3	2	—	—	—	—	—	—	—	—	—
(Estd. mid-year pop. 84,152 thousands)																		Uttar Pradesh— <i>contd.</i>				
Total for w/e 16-8-52	.	—	—	—	—	—	—	—	Total for w/e 16-8-52	.	348	180	10	3	—	—	—	—	—	—	—	—
Total for w/e 9-8-52	.	—	—	—	—	—	—	—	Total for w/e 9-8-52	.	404	174	5	2	—	—	—	—	—	—	—	—
7-yearly mean for the week	.	—	—	—	—	—	—	—	7-yearly mean for the week	.	781	390	22	7	14	8	—	—	—	—	—	—

Explanation of Symbols used : C—Cases. D—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 23rd August, 1952—contd.

	CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	—						C.	D.	C.	D.	C.	D.
Vindhya Pradesh												STATES PART (B)						
Datia	—	1	—	—	—	—	—	—	—	—	—	Hyderabad						
Rewa	—	10	3	—	—	—	—	—	—	—	—	Aurangabad	—	—	19	10	—	—
TOTAL	—	11	3	—	—	—	—	—	—	—	—	Parbhani	—	—	88	35	—	—
West Bengal												Bhiz	—	—	—	—	—	—
Burdwan	—	—	34	8	—	—	—	—	—	—	—	Gulberga	—	—	—	—	—	—
Birbhum	—	—	—	—	2	1	—	—	—	—	—	Rajohur	—	—	—	—	—	—
Bankura	—	—	—	3	2	—	—	—	—	—	—	Bidar	—	—	—	—	—	—
Midnapur	—	—	—	10	6	2	1	—	—	—	—	Omanabad	—	—	1	—	—	—
Hooghly	—	—	—	1	1	—	—	—	—	—	—	Warrangal	—	—	4	2	—	—
Howrah	—	—	—	8	4	1	1	—	—	—	—	Karimnagar	—	—	—	6	2	—
24-Parganas	—	—	—	1	1	8	—	—	—	—	—	Adilabad	—	—	10	—	—	—
Calcutta	—	—	18	6	2	1	—	—	—	—	—	Nizamabad	—	—	—	—	—	—
Nadia	—	—	—	—	—	—	—	—	—	—	—	Medak	—	—	—	—	—	—
Murshidabad	—	—	—	—	—	2	2	—	—	—	—	Nalgonda	—	—	34	17	—	—
Malda	—	—	—	—	—	—	—	—	—	—	—	Mahbubnagar	—	—	5	2	—	—
West Dinajpur	—	—	—	—	—	—	—	—	—	—	—	Hyderabad	—	—	—	—	—	—
Jalpaiguri	—	—	—	—	—	—	—	—	—	—	—	Nanded	—	—	7	3	—	—
Darjeeling	—	—	—	—	—	1	—	—	—	—	—	TOTAL	—	—	168	69	6	2
Cooch Behar	—	—	—	—	—	—	—	—	—	—	—	Jammu & Kashmir						
Chandernagore	—	—	—	—	—	—	—	—	—	—	—	Return not received.						
TOTAL	—	—	75	28	18	6	—	—	—	—	—	Madhya Bharat						
(Estd. mid-year pop. 25,180 thousands)												Return not received.						
Total for w/e 16-8-52	—	68	33	15	9	—	—	—	—	—	—	Mysore						
Total for w/e 9-8-52	—	137	62	21	6	—	—	—	—	—	—	Bangalore	—	—	—	—	5	—
7-yearly mean for the week	—	—	137	56	40	21	—	—	—	—	—	Chikmagalur	—	—	—	—	1	—
Grand total for States Parts (A & C) excluding Bihar & Himachal Pradesh	—	2,294	1,232	368	73	—	—	—	—	—	—	Chitaldrug	—	—	—	—	—	—
(Estd. mid-year pop. 2,47,116 thousands).	—	—	—	—	—	—	—	—	—	—	—	Hassan	—	—	2	2	9	2
Corresponding total for w/e 16-8-52	—	—	2,343	1,177	265	76	1	1	—	—	—	Kadur	—	—	—	—	—	—
Corresponding total for w/e 9-8-52	—	—	2,516	1,183	312	68	—	—	—	—	—	Kolar	—	—	26	15	—	2
7-yearly mean for the week	—	—	—	2,542	1,224	587	125	133	50	—	—	Mandya	—	—	—	7	1	—
										—	—	Mysore	—	—	—	5	1	42
										—	—	Shimoga	—	—	—	—	—	—
										—	—	Tumkur	—	—	—	—	—	—
										—	—	TOTAL	—	—	26	15	20	4
										—	—				53	15		

Explanation of symbols used:— C—Cases; D—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 23rd August, 1952—concl'd.

CHOLERA		SMALLPOX		PLAQUE		CHOLERA		SMALLPOX		PLAQUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.

Patiala & East Punjab States Union

POLIOMYELITIS

No Incidence.

Rajasthan

(Information based on patients treated in hospitals in important towns.)

Return not received.

Saurashtra

No Incidence.

Travancore-Cochin

Places

Period

Cases

TOTAL	2	2	"	w. e. 7 June, 1952	2
--------------	----	----	---	---	----	----	---	--------------------	---

Grand total for States							"	3 July, 1952	1	
Part (B)	..	205	87	28	8	53	15	Delhi State	16—31 August, 1952	4 Paretic
Grand total for States							"	Ajmer State	1—15 August, 1952	1
Parts (A), (B) and (C)	2,499	1,310	396		81	53	15			

Explanation of Symbols used:— C=Cases ; D=Deaths.

NEW DELHI-2 (INDIA);
The 15th September, 1952 }

K. MITRA,
for Registrar General, India.

NATIONAL

SAVINGS

CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

3½%

**TEN-YEAR
TREASURY SAVINGS
DEPOSITS**

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd August, 1952.

Deaths from :—

Town	Mid-1952 Popn. Est. (000)	Deaths from :—												Total	D.R.*	I.D.										
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.																
STATES—(Parts A and C)																										
Ajmer																										
Ajmer	203	70	17.9	8	14	6	..	56	14.3	20													
Beawar	53	24	21.7	8	4	4	..	19	18.7	3													
TOTAL	250	94	19.1	16	18	10	..	76	15.2	23													
Assam																										
Bhopal																										
<i>Return not received.</i>																										
Bihar																										
Bombay																										
Ahmedabad	814	872	55.8	—	11	33	180	1	411	26.3	179													
Ahmednagar	83	85	53.3	—	5	5	2	..	29	18.2	11													
Amravati	46	40	45.2	—	9	2	1	..	19	21.5	5													
Bagalkot	33	20	31.5	7	3	1	1	20	31.5	3													
Baroda	219	226	53.7	—	32	1	10	..	71	16.0	21													
Barni	43	32	38.7	—	3	1	1	..	12	14.5	4													
Belgaum	103	47	23.7	—	1	1	2	..	24	12.1	7													
Bhusawal	56	43	39.9	—	4	1	3	..	11	10.2	4													
Bijapur	68	41	31.4	—	6	2	4	1	18	13.8	..													
Broach	64	64	52.0	—	—	—	11	4	36	29.3	6													
Camby†													
Challagaoon	81	30	50.3	6	12	20.1	3													
Dharwar	69	63	47.5	6	1	2	1	29	21.0	7													
Dhulia	80	49	31.9	9	2	3	1	21	19.7	7													
Gadag-Betgeri	67	34	26.4	7	..	3	..	22	17.1	7													
Godhra†													
Greater Bombay.	2,987	1,590	27.7	9	50	195	1	892	15.5	271													
Hubli†													
Jalgaon	71	36	26.4	9	1	2	1	26	19.0	5													
Kalyan†													
Kolhapur	143	96	34.9	7	3	2	..	36	17.1	7													
Malegaon	67	49	44.7	14	4	3	..	27	24.6	13													
Miraj†													
Nadiad	65	72	57.8	20	1	1	..	37	20.6	10													
Nasik	103	50	25.2	7	4	6	..	33	16.2	10													
Nandurbar.	31	23	38.6	5	2	1	..	15	25.2	4													
Navsari	46	38	42.8	8	1	1	1	22	24.9	4													
Pandharpur	41	40	50.7	6	5	3	1	18	22.8	7													
Patan	44	50	39.1	11	4	1	..	28	33.1	9													
Poona	616	357	36.0	3	5	65	9	77	17.8	58													
Sangli	52	23	23.0	4	..	6	6.0	..													
Satara	38	26	35.6	5	17	23.3	..													
Sholapur	274	312	49.2	1	10	12	40	2	128	24.3	34													
Surat	230	156	35.3	15	8	15	3	108	24.4	30													
Thana	53	35	34.4	3	1	2	..	10	9.8	1													
TOTAL	6,627	4,599	36.6	1	263	158	528	23	2,315	18.4	727													
Delhi State																										
Delhi City	955	699	38.1	102	26	40	2	217	11.8	60													
New Delhi	304	217	37.1	1	2	7	2	115	10.7	20													
TOTAL	1,259	916	37.8	103	28	47	4	332	13.7	80													

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symb is used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 22nd August, 1952.—*contd.*

Deaths from :—

Town	Mid. 1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh													
Achalpur	36	42	60.7	2	3	4	..	18	26.0	3
Akola†	90	77	44.5	4	4	2	2	31	17.9	10
Amravati	6	10	33	44.0	8
Bilaspur	89	24	32.0	4	14	2	34	24.6	..
Burhanpur	72	71	51.3	5	6	2	..	27	34.2	..
Chanda	41	24	30.4
Damoh	38	54	73.9	28	1	1	..	35	47.0	..
Gondia	39	50	66.7	17	5	3	..	32	42.7	4
Hinganghat†
Jabalpur	212	127	31.2	..	2	..	14	5	9	..	64	15.7	..
Khandwa	54	26	25.0	8	12	11.8	..
Nagpur†
Raipur	98	14	7.8	4	3	1	..	12	6.7	..
Sager	69	32	24.1	4	..	3	..	15	11.3	..
Wardha†
Yeotmal	37	44	61.8	2	2	2	1	15	21.1	3
TOTAL	820	585	37.1	4	2	..	104	41	27	3	328	20.8	28
Madras													
Adoni	66	46	42.7	1	3	..	12	11.1	3
Ambar	42	19	18.1	3	1	..	8	7.4	1
Anakapalle	42	29	35.9	2	1	11	13.8	4
Aruppukottai	50	23	23.9	2	4	1	..	15	15.6	4
Bellary	73	58	41.3	..	1	..	1	6	8	..	33	23.5	2
Bhimavaram†
Cannanore	43	20	24.2	3	1	14	16.0	3
Chirala	37	9	12.6	5	1	1	..	17	23.9	5
Chittoor	40	35	45.5	3	2	..	1	..	23	29.9	..
Coimbatore	203	164	42.0	6	17	25	..	110	30.5	37
Cuddalore	69	60	52.0	4	6	4	2	28	21.9	2
Cuddappah	39	34	45.3	2	4	..	2	1	1	..	15	20.0	1
Dindigul	82	34	21.6	2	3	1	1	20	12.6	4
Elluru	90	36	20.8	4	..	5	..	27	15.6	2
Erode	60	55	47.7	5	1	3	4	2	25	21.7	7
Guddiyattam	47	38	42.0	4	..	1	..	11	12.2	4
Guntur	124	149	62.5	5	11	2	12	1	98	41.4	15
Kakhnada	103	58	29.3	12	3	3	1	52	18.3	11
Kancheepuram	86	61	36.0	6	3	6	1	26	18.7	6
Karaikudi	38	29	39.7	1	1	1	..	12	16.4	3
Karur	44	17	20.1	4	1	2	..	19	22.5	4
Kazhikode	162	163	52.7	9	5	9	2	88	28.4	16
Kumbakonam†
Kurnool	62	45	37.7	..	5	3	5	1	25	21.0	1
Madras	1,488	1,451	50.7	4	5	..	82	148	221	12	904	31.6	224
Mangalore	122	46	19.6	4	3	10	..	35	15.0	3
Matulipatnam	81	61	39.2	..	1	..	3	1	4	..	27	17.3	4
Mathurai	378	216	29.7	18	14	51	1	172	23.7	40
Mayuram	45	38	43.9	1	1	..	9	10.4	2
Melapalayam	38	14	10.2	2	..	1	..	9	12.3	5
Negapatnam	59	19	16.7	..	2	..	3	1	1	1	20	17.6	5
Nellore	85	81	49.6	5	7	2	2	..	45	27.5	6
Ootacamund	43	35	43.3	1	..	4	..	12	14.9	2
Palyamkottai	41	31	39.3	1	2	3	..	14	17.8	3
Palghat	71	42	30.8	1	4	5	..	39	28.6	7
Proddatur	38	33	45.2	4	2	3	..	16	21.9	1
Pudukkottai	46	27	30.6	5	2	3	1	20	22.0	3
Rajahmundry	109	84	40.1	6	2	5	..	48	22.9	12
Rajapalayam†
Salem	212	137	33.4	11	6	6	15	1	90	22.0	13
Srivilliputur	41	30	33.9	3	4	4	..	23	26.0	5
Tanjore	105	90	42.8	5	5	2	..	35	16.7	8
Tellicherry	63	28	23.1	2	4	..	15	12.4	3	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Birth and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd August, 1952—contd.

Town	Mid-1952 Popn.-Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—contd.													
Tenali	60	27	23·4	1	..	3	..	9	7·8	1
Tiruchirappalli	226	109	25·1	6	11	..	83	18·1	10
Tirunelveli	75	58	40·2	3	10	..	27	18·7	7
Tiruppur	55	29	27·4	6	3	2	18	17·0	1
Tiruvannamalai	31	56	93·9	2	2	1	7	11·4	2
Tuticorin	101	66	34·0	3	5	..	25	12·9	6
Vaniyambadi	40	18	23·4	11	1	9	..	30	39·0	4
Vellore	111	110	55·8	2	3	1	7	1	46	21·6	8
Vijayawada	171	79	24·0	..	3	..	3	1	1	..	27	8·2	3
Virudhunagar	48	42	45·5	1	4	2	1	13	14·1	2
Vizakapatnam	113	82	37·7	3	4	10	2	40	18·4	3
Vizianagram	69	40	80·1	4	5	1	—	38	28·6	10
TOTAL	5,758	4,373	39·5	51	16	..	250	295	494	33	2,592	23·4	538
Orissa													
Berhampur†	106	74	36·4	..	—	—	10	6	4	..	41	20·2	5
Cuttack	50	52	54·2	9	5	3	..	28	29·2	8
Puri	156	126	42·0	10	11	7	..	69	23·0	13
TOTAL	156	126	42·0	10	11	7	..	69	23·0	13
Punjab (I)													
Ambala †	317	199	32·8	4	6	33	..	108	17·8	23
Amritsar	57	37	33·9	10	..	1	..	16	14·7	8
Batala	53	67	66·1	12	..	4	..	26	25·6	8
Bhawani	41	25	31·9	3	5	4	..	23	20·3	4
Ferozepore	36	35	50·8	4	1	1	..	14	20·3	11
Hissar	47	34	87·8	3	1	4	..	11	12·2	5
Hoshiarpur	176	166	49·3	13	2	4	..	28	8·3	5
Jullundur	61	38	32·6	6	2	2	..	13	11·1	3
Karnal	169	135	44·4	24	1	2	..	42	13·8	13
Ludhiana	38	38	52·3	4	7	9·6	2
Moga	57	37	33·9	17	2	3	..	23	21·1	8
Panipat	31	21	35·4	1	4	6·7	..
Pathankot	35	29	43·3	3	6	3	1	17	25·4	5
Rewari	73	60	43·0	9	..	1	..	19	13·6	7
Rohtak	46	43	48·9	5	5·7	..
Simla	31	24	40·5	5	1	6	10·1	2
TOTAL	1,258	988	40·8	117	28	62	1	362	15·0	104
Uttar Pradesh													
Agra	344	467	71·0	1	4	23	98	1	224	34·0	60
Allehabad	332	222	36·0	3	3	38	..	75	12·2	23
Amroha	59	63	73·2	16	16	8	1	63	55·5	16
Braich	45	19	22·1	4	1	1	..	8	9·3	2
Ballia	32	15	24·5	2	5	8·2	1
Banaras	350	411	61·4	124	25	27	1	300	44·8	76
Banda	31	14	23·6	1	6	9	15·2	..
Bareilly	197	110	29·2	..	1	..	18	5	19	..	59	15·7	23
Basti†	53	40	39·5	11	1	2	..	20	19·7	5
Bijnor†	38	51	70·2	9	3	2	..	27	37·2	7
Budha Dun	124	28	11·8	7	25	10·5	7
Etawah	61	72	61·4	2	13	5	8	..	65	55·4	34
Faizabad-Ajodhya	79	36	23·8	5	1	2	1	15	9·9	3
Farrukhabad-Fatehgarh	76	65	44·7	11	7	5	..	39	26·8	13
Ferozabad	69	59	44·7	10	5	2	..	28	21·2	4
Ghaziabad	40	40	52·3	12	13	17·0	2
Chazipur	35	28	41·8	2	14	20·9	5
Gonda	33	12	19·0	4	1	2	..	10	15·8	3
Gorakhpur	128	94	38·4	24	9	4	..	58	28·7	15
Hapur	45	48	55·8	16	3	1	..	22	25·6	7
Hardwar	58	42	37·9	22	5	7	..	49	44·2	14

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd August 1952—*contd*

Town	Mid.-1952 Popn. Est. (000)	Deaths from—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd</i>													
Hathras	58	91	82.0	16	18	6	..	47	42.4	24
Jaunpur	53	40	39.5	5	5	17	16.8	1
Jhansi	109	163	78.2	33	4	2	..	62	29.7	24
Kanpur	662	436	34.4	118	27	30	5	307	24.2	98
Kasganj	33	12	19.0	2	2	4	6.3	1
Khurja	39	49	65.7	3	1	1	..	14	18.8	5
Koil-Aligarh	141	86	31.9	1	14	9	9	1	55	20.4	16
Lucknow	457	416	47.6	49	27	35	..	238	27.2	71
Mathura	101	102	52.8	20	1	5	..	37	19.2	10
Meu-Nath Bhanjan	35	31	46.3	11	2	21	31.4	4
Meerut	167	125	39.1	13	39	12.2	7
Mirzapur Virdhyachal	90	77	44.7	22	6	3	1	56	32.5	22
Moradabad	158	155	51.3	33	22	19	..	113	37.4	28
Muzaffarnagar	67	33	25.8	8	1	2	..	20	15.6	8
Pilibhit	45	26	30.2	4	7	8	1	1	35	40.7	7
Rampur	140	12	4.5	8	2	4	1	28	10.5	3
Saharanpur	147	120	42.7	51	4	6	1	72	25.6	21
Sambhal	62	68	55.7	19	8	8	..	39	32.9	10
Shahjahanpur	99	41	21.7	22	3	4	..	44	23.2	18
Sitapur	46	22	25.0	7	1	2	..	16	18.2	8
TOTAL	4,928	4,059	42.9	11	1	..	784	257	382	14	2,393	25.2	713

West Bengal*Return not received***STATES (PART B)****Jammu and Kashmir***Return not received***Madhya Bharat****Greater Gwalior†**

Indore City	325	185	29.6	29	9	6	4	120	19.2	29
Ratlam City	66	15	11.8	8	2	6	4	23	16.9	4
Ujjain City†

TOTAL

391 200 26.6 37 11 12 8 143 19.0 33

Mysore State

Bangalore City	825	623	39.3	60	60	297	15.6	..
Davanagari	59	20	17.6	2	4	3.5	..
Kolar Gold Fields	163	145	45.3	2	9	6	..	49	15.6	..
Mysore City	257	116	23.5	8	4	37	7.5	..

TOTAL

1,304 904 36.1 70 84 6 .. 387 15.4 ..

PEPSU

Bhatinda	35	24	32.8
Malerkotla	33	18	28.4	4	6.3	1
Patiala	100	70	36.4	28	3	1	..	47	24.4	..

TOTAL

168 112 49.1 28 3 1 .. 51 15.8 1

Rajasthan*Return not received***Saurashtra**

Bhavnagar	143	61	22.2	41	5	5	1	62	22.5	13
Dhoraji	45	33	38.1	8	3	6	..	22	25.4	..
Gondal	38	20	39.7	4	3	5	..	17	23.3	9
Jamnagar	109	43	20.5	19	7	3	..	42	20.0	9
Junagadh	63	39	32.2	17	1	23	19.0	6
Morvi	41	12	15.2	4	..	1	..	5	6.3	1
Porbandar	60	57	49.4	22	5	1	..	36	91.2	13
Rajkot	141	86	31.7	24	5	5	..	57	21.0	25
Surendranagar	36	4	5.8	3	..	1	..	7	10.1	..
Veraval	42	5	6.2	4	..	4	..	8	9.9	2
TOTAL	718	369	16.7	146	28	31	2	279	20.2	78

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths included in total deaths.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd August, 1952—contd.

Deaths from:—

Town	Mid-1952 Popn. Est. (000)	Deaths from:—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	B.D.	M.D.	Total	D.R. *	I.D.
Travancore - Cochin													
Alleppey	121	134	56.2	4	1	16	6.7	..
Changancherry	37	18	21.1	2	..	2	1	9	12.6	..
Ernakulam	64	45	50.9	2	..	1	..	23	18.7	9
Kottayam	46	36	40.7	2	1	..	1	18	20.3	1
Mattancherri	76	61	41.7	3	..	6	..	22	15.0	9
Nagercoil	83	32	20.0	4	..	2	..	13	8.1	3
Quilon	68	55	42.1	1	5	..	23	17.6	6
Trichur	71	68	40.8	1	..	12	8.8	2
Trivandrum City	195	284	75.7	1	4	7	..	22	5.9	1
TOTAL	764	730	49.7	14	6	28	3	158	10.8	31

ARREAR RETURNS

Madhya Pradesh For w/e														
Sagar	16.8.52	69	39	29.4	6	2	2	..	14	10.6	..
Damoh	"	38	60	82.1	22	..	3	..	33	45.2	..
Khandwa	"	54	23	22.1	2	1	8	7.7	..
Burhanpur	"	72	57	41.2	10	1	29	20.0	..
Raipur	"	93	24	13.4	2	2	4	2.2	..
Madhya Bharat														
Greater Gwalior	9.8.52	249	110	24.8	4	1	..	1	13	2.7	1
Rajasthan														
Jaipur	12.7.52	307	44	7.4	27	6	8	62	103	17.4	40
Alwar	"	59	45	39.7	1	3	4	3.5	..
Ganganagar	"	39	11	14.6	5	10	15	20.0	2
Kotah	"	66	26	20.5	2	1	11	8.7	..
Udaipur	"	94	2	1.1	..	1	..	5	8	3.4	..
Alwar	26.7.52	59	23	20.3	1	..	2	..	7	6.2	..
Tonk	"	43	7	8.4	5	1	12	14.5	4
Ganganagar	"	39	1	1.3	4	1	5	6.7	1
Udaipur	"	94	4	2.2	1	2	4	..	8	9.4	2
Kotah	"	66	19	15.0	9	5	1	..	18	14.2	..
Jaipur	2.8.52	207	59	11.9	48	2	137	24.2	49
Alwar	"	59	29	25.6	6	..	1	..	9	7.9	..
Tonk	"	43	14	16.9	2	1	1	..	5	6.0	6
Ganganagar	"	39	11	14.7	2	10	13.3	2
Kotah	"	66	19	15.0	10	1	4	2	20	18.9	..
Udaipur	"	94	2	1.1	5	..	3	..	8	4.4	2
Jammu & Kashmir														
Srinagar	2.8.52	233	147	32.8	8	..	15	1	32	7.1	6
"	9.8.52	"	140	31.2	10	2	3	2	35	7.8	4
Jammu	26.7.52	64	35	28.4	4	..	1	..	8	6.5	3
"	2.8.52	"	39	31.6	3	1	2	..	13	10.5	4

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Flevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 23rd August, 1952, relate to 185 towns with an estimated population of 24,307 thousands. The total number of towns is 281 and their population is 34,764 thousands. Thus 66% of the total number of towns representing 70% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 18,055 and 9,483 representing birth and death rates of 38.6 and 20.3 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 157 towns with an estimated population of 20,962 thousands. Information about Assam, Bihar and West Bengal could not be included. The total number of towns is 235 and their population is 29,570 thousands. Thus 67% of the total number of towns representing 71% of the total population is covered. The numbers of births and deaths recorded in these towns were 15,740 and 8,465 representing birth and death rates of 39.1 and 21.0 per

thousand of population respectively. The table at the end gives the position by States.

Amroha and Etawah in Uttar Pradesh were the only towns which recorded high death rates of 55.5 and 55.4 per thousand of population respectively. In Amroha, the high death rate was mainly due to deaths from fevers and dysentery and diarrhoea and in Etawah, the high death rate was not particularly due to any one of the specified causes.

(B) States (Part B).—The data here relate to 28 towns with an estimated population of 33,43 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 61% of the total number of towns representing 64% of the total population is covered. The numbers of births and deaths recorded in these towns were 23,15 and 10,18 representing birth and death rates of 36.0 and 15.8 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 23.8.52		Corresponding week of last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . .	19.1	15.2	45.1	11.4	44.8	22.3
Bombay . .	36.6	18.4	34.9	16.6	36.6	23.1
Delhi . .	37.8	13.7	61.8	14.7	54.3	17.6
Madhya Pradesh	37.1	20.8	34.0	17.5	42.1	26.8
Madras . .	39.5	23.4	55.3	29.1	49.4	27.7
Orissa . .	42.0	23.0	41.8	18.4	39.6	26.9
Punjab (I)	40.8	15.0	29.3	11.5	29.5	13.2
Uttar Pradesh	42.9	25.2	42.6	19.5	44.3	24.7
India (only States) . .	39.1	21.0	39.0	19.1	39.9	22.6
Parts A and C).						

NEW DELHI, 2 (INDIA); }
The 15th September 1952 }

K. MITRA,
for Registrar General, India.

